



Cinco Plus Brick




- Harmonizes perfectly with stone, especially Lafitt stone, thanks to its multiple lengths, texture and colours
- Installs similar to brick so costs are reduced compared to stone

| | |
|----------------------|----------------------|
| Weight per cube (kg) | 1480 |
| Rows per cube | 7 |
| Corner pieces | 58% |
| Sq.ft. per row | 12.67 |
| Sq.ft. per cube | 88.69 |
| Coverage | 3.2 bricks (average) |


90 mm x 92 mm x var. 3 1/2" x 3 5/8" x var.

For a complete list of dimensions go to permacon.ca




* Range Grey and Black, Range Lennox Grey and Rockland Black are not available in the Greater Toronto Area

Laying Pattern:




Linear

Typical Layout:



Formats:



* Actual dimensions. Allow a 3/8 in. - 10 mm mortar joint in order to obtain nominal dimensions.

Technical information

| Product | Standard | Compressive Strength | Density | Absorption | Dimension Tolerance | Fire Resistance (CNB) |
|-------------------------|------------|----------------------|--------------------------|------------|--|-----------------------|
| Cinco Plus Brick | CSA A165.2 | 25 MPa | > 2000 kg/m ³ | 8% | Thickness: ±2.0 mm Height: ±2.0 mm Length: ±2.0 mm | 1.39 hours |