Grande Wall






375		Dimensions mm	Dimensions in.
Standard		200 x 375 x 1000	7 7/8 x 14 3/4 x 39 3/8
A DESCRIPTION OF THE OWNER.	Weight/unit	161 kg	360 lb
CALM X CONTRACTOR	Area/layer	5.00 units/m ²	0.46 unit/ft ²
	Area/cube	1.80 m ²	19.56 ft ²
	Length/cube	9.00 lin. m	29.60 lin. ft
	Qty/cube	9 units	9 units
	Weight/cube	1500 kg	3300 lb

Code	Colour	
16201336	Grey	

Call for custom colour information Sold in full cubes only Production location Cambridge


Typical Row



750		Dimensions mm	Dimensions in.
Standard		200 x 750 x 1000	7 7/8 x 29 1/2 x 39 3/8
WINT PARTY	Weight/unit	328 kg	726 lb
	Area/layer	5.00 units/m ²	0.46 unit/ft ²
	Area/cube	0.80 m ²	8.70 ft ²
	Length/cube	4.00 lin. m	13.10 lin. ft
	Qty/cube	4 units	4 units
	Weight/cube	1350 kg	2970 lb

Code	Colour		
16209043	Grey		
Call for custom colour information Sold in full cubes only			
Production location Cambridge			

Typical Row



1125		Dimensions mm	Dimen
Standard		200 x 1125 x 1000	7 7/8 >
1	Weight/unit	483 kg	1065 l
	Area/layer	5.00 units/m ²	0.46 u
	Area/cube	0.60 m ²	6.45 ft
	Length/cube	3.00 lin. m	9.90 lii
	Qty/cube	3 units	3 units

Weight/cube

Dimensions mm	Dimensions in.	Code
200 x 1125 x 1000	7 7/8 x 44 5/16 x 39 3/8	16209044
483 kg	1065 lb	Call for cu
5.00 units/m ²	0.46 unit/ft ²	Sold in ful
0.60 m ²	6.45 ft ²	Productio
3.00 lin. m	9.90 lin. ft	
3 units	3 units	
1450 kg	3190 lb	

Code	Colour
16209044	Grey
Sold in full c	om colour information ubes only ocation Cambridge

Typical Row

Product	Standard	Flexural Strength	Compressive Strength	De-icing salts freeze-thaw durabilit	y Density	Absorp
TECHNICAL INFORM	ATION					
				70970833	LG Clamp	
				70970830	SM Clamp	
Clamps				Code		

Pro Dimension Tolerance* ption Length: Width : Height: ±3.2 mm ±3.2 mm ±3.2 mm Grande Wall ASTM C 1372 N/A 20.7 MPa N/A 2000 kg/m² 10.4%

The information contained in these technical documents is supplied for information purposes only. Any application of the information is the sole responsibility of the installer. The installer must ensure that the installation and use of retaining wall projects comply with local regulations and code requirements. A qualified engineer must be consulted for final design for construction purposes. Oldcastle Building Products Canada, Inc. and its affiliates cannot be held responsible for the improper use of information contained in these technical documents.

Grande Wall

Unit	Weight/unit
Conception of the local division of the	
ATTINIA STATISTICS	Unit/area
	Qty/cube


200 x 500 x 1000 7 7/8 x 19 11/16 x 39 3 213 kg 469 lb 3.33 units/m² 0.31 unit/ft² 6 units* 6 units* Weight/cube 2811 lb 1278 kg

Dimensions mm

Dimensions in.

* 6 units equal: 3 right units, 3 left units

	Code	Colour
8/8	16209045	Grey
	Sold in full c	om colour information ubes only location Cambridge



Step 175)
15	Sara


_

		Dimensions mm	Dimensions in.
		175 x 438 x 1000	6 7/8 x 17 1/4 x 39 3/8
100	Weight/unit	175 kg	386 lb
4 110	Length/cube	1.20 lin. m	19.68 lin. ft
	Qty/cube	6 units	6 units
	Weight/cube	1070 kg	2358 lb

Code	Colour
16202415	Grey
16202416	Desert Grey
16202417	Granite
16202418	Onyx Brown
Sold in full c Production	ubes only location Cambridge


Typical Row

Typical Row



	Dimensions mm	Dimensions in.	
	200 x 438 x 1000	7 7/8 x 17 1/4 x 39 3/8	
Weight/unit	194 kg	427 lb	
Unit/area 5.00 units/m ²		0.46 unit/ft ²	
Qty/cube	6 units	6 units	
Weight/cube	1162 kg	2561 lb	
	Unit/area Qty/cube	200 x 438 x 1000 Weight/unit 194 kg Unit/area 5.00 units/m² Qty/cube 6 units	

Code	Colour
16200460	Grey
16201338	Desert Grey
16201339	Granite
16201340	Onyx Brown
Sold in full c Production	ubes only location Cambridge



Grande Wall - Custom Splitting



Custom splitting is available for corners at custom angles or for coping units at the end of a wall. Splitting premium is in addition to the price of the unit being split.

Sold in full cubes only Production location - Cambridge

TECHNICAL INFORMATION

Product	Standard	Flexural Strength	Compressive Strength	De-icing salts freeze-thaw durability	Density	Absorption	Dimension Tolerance*
Grande Wall	ASTM C 1372	N/A	20.7 MPa	N/A	2000 kg/m²	10.4%	Length: ±3.2 mm Width : ±3.2 mm Height: ±3.2 mm

The information contained in these technical documents is supplied for information purposes only. Any application of the information is the sole responsibility of the installer. The installer must ensure that the installation and use of retaining wall projects comply with local regulations and code requirements. A qualified engineer must be consulted for final design for construction purposes. Oldcastle Building Products Canada, Inc. and its affiliates cannot be held responsible for the improper use of information contained in these technical documents.