Melia 18 x 36 DuraFusion Slab















18 x 36	
CHINES	2000 A
Service Control	1000000


	Dimensio	ns mm	Dimensions in.		
	60 x 457 x 914		2 3/8 x 18 x 36		
Weight/unit	58 kg		129 lb		
Area/unit	0.37 m ²		4.5 ft ²		
Area/layer	0.84 m ²		9.0 ft ²		
Area/cube	8.36 m ²	10 Rows	90.0 ft ²		
Qty/cube	20 units		20 units		
Weight/cube	1167 kg		2573 lb		
				_	


Code	Colour	Typical Row			
	DuraFusion				
127002108	Oasis 😽				
127002109	Marbella 😽				
Production Ic	cation Metcalfe				


Laying Patterns











Checkerboard

Running Bond

Offset 1/3

Herringbone

Parquet

• Techniseal 1 bag of sand covers approx. 373 ft²

TECHNICAL INFORMATION

Product	Standard	Flexural Strength	Compressive Strength	De-icing salts freeze-thaw durability	Density	Absorption	Dimension Tolerance*
Melia 18 x 36 DuraFusion Slab	CSA A231.1	±4.5 MPa	N/A	225 g/m² after 28 cycles 500 g/m² after 49 cycles	N/A	N/A	Length: -1.0 to +2.0 mm Width: -1.0 to +2.0 mm Height: ±3.0 mm

 $^{^{\}star}$ Concave or convex warpage in one dimension: up to and including 450 mm: 2.0 mm / over 450 mm: 3.00 mm

Cover snow removal tools with Teflon or neoprene protectors to minimize the risk of damage from scratches.

Laying patterns are for design purposes only. Permacon shall not be responsible for excess or shortage of material. Given the weight of this Slab, it is highly recommended to use suction-based lifting equipment for handling and placement (avoid manual installation).