




Lafitt Stone []

- Unique pigmentation process, resulting in a product that maintains its colour year after year
- Total design freedom: choice of large stone ratios; choice of stone ratios with enhanced texture; choice of colour ranges (elemental and duos)
- Modular formats = less cutting and waste = material savings




Colour	Code	
	Small-Medium	Large
Blizzard	34060088	34060089
Range Margaux Beige	34069003	34069027
Range Chambord Grey	169001904	34069024
Range Newport Grey	169001902	34060011
Range Scandina Grey	169001903	34060054
Rockland Black	34060028	34060029
Oasis	34060086	34060087
Terra	169000980	169000981
	Small-Medium	Large
Weight per cube (kg)	1553	1453
Rows per cube	7	7
Corner pieces	100%	100%
Sq.ft. per row	12.96	11.49
Sq.ft. per cube	90.86	80.43
A	90 mm x 102 mm x var.	3 1/2 in. x 4 in. x var.
B	90 mm x 178 mm x var.	3 1/2 in. x 7 in. x var.
C	90 mm x 292 mm x var.	3 1/2 in. x 11 1/2 in. x var.


Unit C sold separately

Lafitt Stone


Laying Pattern



10%
9 cubes of 4 in. (102 mm) and 7 in. (178 mm) for 1 cube of 11 1/2 in. (292 mm)




25%
3 cubes of 4 in. (102 mm) and 7 in. (178 mm) for 1 cube of 11 1/2 in. (292 mm)




50%
1 cube of 4 in. (102 mm) and 7 in. (178 mm) for 1 cube of 11 1/2 in. (292 mm)

Typical Row




Large stones



Small and medium stones

Size - Stone Cladding



* Actual dimensions. Allow a 1/2 in. - 13 mm mortar joint in order to obtain nominal dimensions.

Technical information

Product	Standard	Compressive Strength	Density	Absorption	Dimension Tolerance	Fire Resistance (CNB)
Lafitt Stone	CSA A165.1	15 MPa	A : Over 2000 kg/m ³	A : 175 kg/m ³	Thickness: ±2.0 mm Height: ±2.0 mm Length: ±3.0 mm	1.39 hours



Lafitt Alto Stone
90% Range Scandina Grey + 10% Range Newport Grey



Lafitt Stone
70% Range Chambord Grey + 25% Range Margaux Beige + 5% Rockland Black



Lafitt Stone
50% Range Margaux Beige + 50% Range Newport Grey



Lafitt Stone
50% Range Margaux Beige + 50% Range Chambord Grey



Lafitt Stone
95% Range Newport Grey + 5% Rockland Black



Lafitt Stone
95% Range Chambord Grey + 5% Rockland Black