

More than 70 years of expertise

Elevation


In its 9 manufacturing plants in Quebec and Ontario, Permacon manufactures increasingly innovative and trendy concrete products.

*⊂*ngagement

Permacon is committed to offering high-quality products that exceed the expectations of its customers and partners.

Cology

In its mission for a greener, more sustainable future, Permacon manufactures products locally, thereby reducing its carbon footprint. Our circularity strategy means that concrete excess from our manufacturing process is reused.









Stone

- 20 Aria
- 22 Dominion
- 24 Lafitt Alto
- 26 Lafitt
- 28 Lamina
- 30 Lexa
- 32 Maestro
- 34 Mondrian



Brick

- 38 Cardin
- 40 Cinco Plus
- 42 Melville Norman
- 44 Melville Slik



Miscellaneous

- 47 Accessories
- 48 Technical Information
- 49 Tools
- 50 Warranty

PLEASE NOTE: The colours of the products shown in this catalogue are as accurate as the photographs and printing process will allow. Since all Permacon products are made from natural materials, such as sand and stone that may change over time, colour and texture variations are to be expected. We strongly recommend that you make your final colour selection based on a current product sample rather than existing projects or the photographs shown here.







Lafitt Stone Range Margaux Beige P 26





Mondrian Stone Range Margaux Beige P 34









in the second se

121

St. Stant

000

Permacon stones set the standard for masonry products. You will be delighted by their natural colours and textures inspired by master masons' stonework.

20	Aria
22	Dominion
24	Lafitt Alto
26	Lafitt

28	Lamina
30	Lexa
32	Maestro
34	Mondriar

Stones





Aria Stone



Rockland Black

The second s	
P	
No. and I want the	
New Rest Contraction of the second	
Range Newport Grey	/


Laying Patterns

Linear - Large Stones










Linear Mix

Modular Mix




Dominion Stone

Enhances any project with its distinctive appearance and timeless appeal.



Laying Patterns




8 in. x 16 in.

Linear















Linear 12 in. x 24 in.




Lafitt Alto Stone






Laying Patterns




Modular 10% Large Stones

















50% Large Stones




Lafitt Stone







Laying Patterns




Modular 10% Large Stones























50% Large Stones



Lamina Stone

1000	Ê	r-T	1	The second
	ANT.	Ser and	-	
1	1000	A CAL	-	
E In	-		C.A.C.	100
The	-	-		L
Range	e Mai	gaux E	Beige	ALC: NOT THE OWNER OF

Laying Patterns





Running Bond












20% Large Stones



Lexa Stone

	and at	
STATIST.		1 2
1		1 1
1871 S. 18	1	
Cam	eo Beige	

Laying Patterns

	1
, ,	


Linear Small/Medium Stones Linear













33% Large Stones



Linear 100% Large Stones



Modular 33% Large Stones



Maestro Stone

- ¬ Fully finished corners
- ¬ Perfect match to Melville Pavers and Slabs

P06	1000	24	14	
5				10
124				172
	1	12	W.	
1	Cam	ieo Be	ige	112
1	1.200		Intera	


Laying Pattern

		_
		4
		_
	I	┸┤

Linear Random Coursed







Mondrian Stone

- ¬ Allows for a modular or linear installation
- Mondrian Pavers and Slabs





Laying Patterns


Linear Large Stones Linear






 \neg Matches perfectly with our landscaping products, including Trafalgar Paver,






Medium/Small Stones



Large/Medium/Small Stones



Modular Large/Medium/Small Stones

Whether they are modern, traditional or country style, Permacon bricks will enhance your architectural projects.




T

MINNIN

42 Melville Norman

44 Melville Slik

Bricks



Cardin Brick

- Solid brick unit
- ¬ Corner unit on each brick


_	-	- les-in
		1
	n di in	1
	Arctic White	1

Laying Pattern

Running Bond



¬ Optimised format for cost effectiveness (material and labour)







Cinco Plus Brick



* Range Grey and Black, Range Lennox Grey and Rockland Black are not available in the Greater Toronto Area

Cinco Plus Stone



Laying Pattern - Brick

Cinco Plus Brick Running Bond











Laying Patterns - Stone



Cinco Plus Stone Linear Irregular

Cinco Plus Stone Modular Irregular with Cinco Brick



Cinco Plus Stone Linear Irregular with Cinco Brick



- ¬ Thin, elongated format (300 mm nominal)
- warping

	T
	1
Alpine Grey	

Laying Patterns

		1 1
-		

Running Bond








¬ Precise dimensional stability through a manufacturing process that prevents

¬ Cores in the brick make it easier to install and provide increased mortar adhesion





1/3 Bond



Melville Slik Brick






8111		110		
			1 Car	The y
1				
	Ste	rling (Grey	
	10000	- 01	1 23	100




Laying Pattern



Running Bond







Dominion Reversible Window Sill



Cardiff Window Sill -Chiselled







Technical Information for Stone, Brick and Accessories

Aria Stone

Ana Stone			and the second se
90 x 60 mm x var.	3 1/2 x 2 3/8 in. x var.	Α	
90 x 102 mm x var.	3 1/2 x 4 in. x var.	В	
90 x 172 mm x var.	3 1/2 x 6 3/4 in. x var.	*C	No. of Concession, Name
Mix pallet made up	of A, B and C units.		
* Sold Separately			

Cinco Plus Stone

90 x 196 mm x var. 3 1/2 x 7 23/32 in. x var.

Dominion Stone

90 x 190 x 390 mm	3 1/2 x 7 1/2 x 15 3/8 in.	*A
90 x 190 x 590 mm	3 1/2 x 7 1/2 x 23 1/4 in.	*B
90 x 290 x 590 mm	3 1/2 x 11 7/16 x 23 1/4 in.	*C

Graphite and Milano colours are available in B and C units only.

* Sold Separately

Lafitt Alto Stone

90 x 102 mm x var.	3 1/2 x 4 in. x var.	Α	A Mellocos
90 x 178 mm x var.	3 1/2 x 7 in. x var.	В	
90 x 292 mm x var.	3 1/2 x 11 1/2 in. x var.	*C	The Charles
* Sold Separately			A CONTRACTOR

Lafitt Stone

			(014-0240)
90 x 102 mm x var.	3 1/2 x 4 in. x var.	Α	1 Store
90 x 178 mm x var.	3 1/2 x 7 in. x var.	В	SURVER
90 x 292 mm x var.	3 1/2 x 11 1/2 in. x var.	*C	- alland
* Sold Soparatoly			

' Sold Separately

Lamina Stone

90 x 95 mm x var.	3 1/2 x 3 3/4 in. x var.
50 X 55 mm X vui.	

Lexa Stone

90 x 76 mm x var.	3 1/2 x 3 in. x var.	Α	Conception of the
90 x 114 mm x var.	3 1/2 x 4 1/2 in. x var.	В	And the second second second
90 x 198 mm x var.	3 1/2 x 7 13/16 in. x var.	*C	
* Sold Separately			

Maestro Stone

90 x 90 x 890 mm 3 1/2 x 3 1/2 x 35 in.

Mondrian Stone

90 x 76 mm x var.	3 1/2 x 3 in. x var.	A	and the second second
90 x 114 mm x var.	3 1/2 x 4 1/2 in. x var.	В	AN IN AL
90 x 198 mm x var.	3 1/2 x 7 13/16 in. x var.	*C	ST 12 11
* Sold Separately			-

Jan De House

Cardin Brick

the local division of the local division of

No. 7 N 10-10

1 day

90 x 79 x 257 mm 3 1/2 x 3 1/8 x 10 1/8 in.

Cinco Plus Brick*



Melville Norman Brick

and the second second 90 x 57 x 290 mm 3 1/2 x 2 1/4 x 11 7/16 in.

Melville Slik Brick

90 x 79 x 257 mm	3 1/2 x 3 1/8 x 10 1/8 in.	Α	and the second sec
90 x 79 x 257-212 mm	3 1/2 x 3 1/8 x 10 1/8-8 3/8 in.	в	

Dominion Window Sill

145 x 75 x 914 mm 5 11/16 x 3 x 36 in.

Cardiff Smooth Window Sill

150 x 79 x 948 mm 5 7/8 x 3 1/8 x 37 3/8 in.

Cardiff Chiselled Window Sill

150 x 79 x 948 mm 5 7/8 x 3 1/8 x 37 3/8 in.

A unique experience for professionals

Discover our dedicated **Pro Zone**. Check out our tools and resources, take advantage of our specialized training courses, and more. Turn your ideas into reality with Permacon!

P*E***RMACON**



P*E***RMACON**





MASONRY Seamless Texture Library

MASONRY Hatch Pattern Library



Lunch & Learn We offer various seminars on our products featuring technical and design features, specification options, installation guidelines

and our services to assist with

successful project design.



The samples you need Make sure you choose the right material for your project by ordering samples of our products for on-site evaluation.

Visual Resources

Explore our online directories of masonry hatch patterns and textures, making it easy to create visually rich, detailed designs.

🚺 BIMSmith



AUTOCAD[®]



AUTODESK REVIT

SketchUp

State-of-the-art tools

Access Permacon seamless textures and hatch patterns for use in your design software.



PERMACON

Warranty Masonry Products for Institutional, **Commercial and Industrial Use**

Permacon's warranty applies to landscaping and masonry products including Suretouch intended for institutional, commercial and industrial use¹. This warranty statement affirms that products manufactured by Permacon meet the requirements of the Canadian Standard Association (CSA) and American Society for Testing and Materials (ASTM).

Permacon guarantees that, as of the date of delivery, our concrete products are free from manufacturing defects. Provided the conditions set forth below are met, Permacon guarantees the structural integrity of the concrete in its landscaping products for a period of 5 years from the date of purchase of the product. The masonry products will be guaranteed for a period of 50 years. The warranty applies to normal, non-abusive use of the product.

IN ALL CASES DETAILED BELOW, THE WARRANTY IS LIMITED TO THE PRODUCTS' MARKET VALUE.

How do I make a claim?



permacon.ca/en/warranty/

Proof of purchase will be required to proceed with a claim request. No claims will be accepted without proof of purchase.²

All claims must be reported within 15 days of the discovery of a product's defect. To validate a claim, a Permacon representative will arrive to inspect the defective products in order to confirm whether the claim is admissible. Therefore, it is essential to provide Permacon with the necessary access to inspect and take photos of the products in question.

This warranty is the only one that is presently offered. Because Permacon continually improves and modifies its products, it may alter and discontinue products at any time, and therefore may replace warranty-covered products with products of similar quality or offer monetary compensation if the products under warranty have been discontinued or are no longer on the market while the warranty is active.

In the event that a product is found to be non-conforming by Permacon or an authorized representative of the company, and in order to proceed with compensation, Permacon will take into account the number of months during which the

landscaping or masonry products were in the possession of the owner or their contractor, up to the date of the claim, and will prorate the amount of the payment or replacement to be made accordingly.

For example: if the purchaser makes a warranty claim in the last month of the 2nd year of the warranty (i.e., the 24th month), the manufacturer, at its sole discretion, shall either :

- Provide a replacement for the product in guestion if still available (only the defective product will be replaced);
- Return 36/60 of the price paid for the products to the owner. No labor, transportation, or other compensation costs will be covered by Permacon.

Transferability

The warranty is transferable. Proof of warranty registration will still be required in the event of a claim. The prorated period will be based on the warranty period remaining as an assignee, if the purchaser transfers the limited warranty to a subsequent owner, as described above.

Exclusions

A landscaping or masonry product installed on an area of more than **100 square feet** confirms the acceptance of the product received on site and that no claim can be made to Permacon regarding the colour, size, or texture of the product.

This limited warranty excludes all products not supplied by Permacon, as well as any defects, failures, or damages that may result from the actions listed below:

- Contact with chemicals or cleaning products;
- Damage caused by pressure washers;
- Improper installation or other construction activities that do not comply with the installation standards established by ICPI, NCMA or IMQ, the National Building Code or the installation methods and tips recommended by Permacon. The installation guides provided by Permacon represent certain installation situations and are not exhaustive. It is therefore strongly recommended that you consult a qualified professional to ensure the proper installation of Permacon products on a specific job site;
- Defective design or construction resulting in sagging, shifting, or failure;
- Breakage due to shock, impact, or excessive load during handling, use, or transportation;
- Natural disaster or other uncontrollable event;
- Breakage and damage to products caused by soil movement or building movement as well as misuse of construction, compaction, or snow removal equipment. The warranty does not cover surface deterioration caused by the misuse of sodium chloride (NaCl) to de-ice pavers, slabs, or steps;
- The use of sodium chloride (NaCl) on the following products:
- Step Valentia;
- Valentia Block;
- Be.OnStone and Mirage products sold by Permacon.

Installation

When installing masonry products, it is vital that the work be cleaned to remove residue and contaminants left on the stone or brick. Permacon accepts no responsibility for stains and colour changes caused by installation residue or the consequences of cleaning said residue.



Colour

The presence of natural ingredients used in the manufacturing process varies from one product to another. Therefore, the product received on the job site will not be completely identical to the products presented in our commercial presentations (catalogs, samples, displays). Any difference in colour cannot be attributed to the guarantee.

Photos of our products in landscape and masonry brochures, as well as in displays such as masonry panels and landscape racks at our distributors, are not an exact representation of the products that will be delivered to the job site. Permacon offers a variety of products with different colours to reproduce the appearance of natural stone. It is therefore strongly recommended that you view several products directly from your authorized Permacon distributor to see all available colours.

It is the purchaser's responsibility to approve the products delivered to the job site prior to installation and to ensure that the colour is satisfactory. It is also recommended to mix products from different pallets received on site. Since variations in colour shades are a natural phenomenon, Permacon does not guarantee colour uniformity between different pallets on the same job site. Product installation constitutes acceptance.

Polymeric film

A whitish polymeric film can be found on the surface of our products. This is the result of an inadequate use of polymeric sand. Improper cleaning of slabs and pavers prior to the application of water on the products' surface can cause this whitish polymeric film. This film does not affect the structural integrity of the product. Permacon cannot be held responsible for this phenomenon, which is not covered by the warranty.

Efflorescence

White traces on the surface of the product are caused by a natural phenomenon called efflorescence. More visible on darker products, efflorescence affects neither the intrinsic technical qualities nor the structural integrity of our products. The possible appearance of efflorescence cannot be the subject of any guarantee on our part. In most cases, efflorescence disappears by itself over time.

¹ The following areas are defined as institutional, commercial and industrial: public areas, businesses, family dwelling of six units or more, and all other non-residential areas

² The following documents are considered valid proof of purchase: an invoice from an authorized Permacon distributor or an invoice from a landscape contractor, general contractor, or mason



Consult your PERMACON REPRESENTATIVE for more information.





permacon.ca