


# Grande Wall




## Grande Wall 375 Standard Unit




	DIMENSIONS (MM)	DIMENSIONS (IN)
	200 x 375 x 1000	7 7/8 x 14 3/4 x 39 3/8
Weight/unit	161 kg	355 lb
Units/area	5.00 units/m <sup>2</sup>	0.46 units/ft <sup>2</sup>
<b>Area/cube</b>	<b>1.80 m<sup>2</sup></b>	<b>19.40 ft<sup>2</sup></b>
Length/cube	9.00 lin. m	29.60 lin. ft
Qty/cube	9 units	9 units
Weight/cube	1500 kg	3300 lb

CODE	COLOUR
16201336	Natural
Call for custom colour information	
Sold by piece	
Can be double stacked	
Production location Cambridge	




## Grande Wall 750 Standard Unit




	DIMENSIONS (MM)	DIMENSIONS (IN)
	200 x 750 x 1000	7 7/8 x 29 1/2 x 39 3/8
Weight/unit	322 kg	710 lb
Units/area	1.80 units/m <sup>2</sup>	0.46 units/ft <sup>2</sup>
<b>Area/cube</b>	<b>0.80 m<sup>2</sup></b>	<b>8.6 ft<sup>2</sup></b>
Length/cube	4.00 lin. m	13.10 lin. ft
Qty/cube	4 units	4 units
Weight/cube	1156 kg	2543 lb

CODE	COLOUR
16209043	Natural
Call for custom colour information	
Sold by piece	
Can be double stacked	
Production location Cambridge	




## Grande Wall 1125 Standard Unit



	DIMENSIONS (MM)	DIMENSIONS (IN)
	200 x 1125 x 1000	7 7/8 x 44 5/16 x 39 3/8
Weight/unit	483 kg	1065 lb
Units/area	1.80 units/m <sup>2</sup>	0.46 units/ft <sup>2</sup>
<b>Area/cube</b>	<b>0.60 m<sup>2</sup></b>	<b>6.45 ft<sup>2</sup></b>
Length/cube	3.00 lin. m	9.90 lin. ft
Qty/cube	3 units	3 units
Weight/cube	1430 kg	3190 lb

CODE	COLOUR
16209044	Natural
Call for custom colour information	
Sold by piece	
Can be double stacked	
Production location Cambridge	



### TECHNICAL INFORMATION

Product	Standard	Flexural Strength	Compressive Strength	De-icing salts freeze-thaw durability	Density	Absorption	Dimension Tolerance*
<b>Grande Wall</b>	ASTM C 1372	N/A	20.7 MPa	N/A	2000 kg/m <sup>3</sup>	10.4%	Length: ±3.2 mm Width: ±3.2 mm Height: ±3.2 mm

# Grande Wall


## Grande Wall Corner Unit



	DIMENSIONS (MM)	DIMENSIONS (IN)
	200 x 500 x 1000	7 7/8 x 19 11/16 x 39 3/8
Weight/unit	213 kg	469 lb
Units/area	3.33 units/m <sup>2</sup>	0.31 units/ft <sup>2</sup>
Qty/cube	6 units	6 units
Weight/cube	1278 kg	2811 lb

CODE	COLOUR
16209045	Natural
Call for custom colour information	
Sold in full cubes only	
Production location Cambridge	

TYPICAL ROW



walls


## Grande Wall 175 mm Step Unit



	DIMENSIONS (MM)	DIMENSIONS (IN)
	175 x 438 x 1000	6 7/8 x 17 1/4 x 39 3/8
Weight/Unit	175 kg	386 lb
Length/cube	1.20 lin. m	19.68 lin. ft
Qty/cube	6 units	6 units
Weight/cube	1070 kg	2358 lb

CODES	COLOURS
16202415	Natural
16202416	Desert Grey Blend
16202417	Granite Blend
16202418	Onyx Brown
Sold in full cubes only	
Production location Cambridge	

TYPICAL ROW



## Grande Wall Custom Splitting




Custom splitting is available for corners at custom angles or for coping units at the end of a wall. **Splitting premium is in addition to the price of the unit being split.**

Sold in full cubes only  
Production location - Cambridge


### TECHNICAL INFORMATION

Product	Standard	Flexural Strength	Compressive Strength	De-icing salts freeze-thaw durability	Density	Absorption	Dimension Tolerance*
Grande Wall	ASTM C 1372	N/A	20.7 MPa	N/A	2000 kg/m <sup>3</sup>	10.4%	Length: ±3.2 mm Width: ±3.2 mm Height: ±3.2 mm

# Grande Wedge Standard Step




## Grande Wedge Standard Step Unit




	DIMENSIONS (MM)	DIMENSIONS (IN)
	200 x 312.5 x 380 - 250	7 7/8 x 12 3/8 x 14 15/16 - 9 7/8
Weight/Unit	37.58 kg	82.90 lb
Units/area	13.16 units/m <sup>2</sup>	1.22 units/ft <sup>2</sup>
<b>Area/cube</b>	<b>2.74 m<sup>2</sup></b>	<b>29.50 ft<sup>2</sup></b>
Length/cube	13.68 lin m	44.90 lin. ft
Qty/cube	36 units	36 units
Weigh/cubet	1353 kg	2978 lb

CODE	COLOUR
16200459	Natural
Call for custom colour information	
Sold by piece	
Can be double stacked	
Production location Cambridge	



### LAYING PATTERN



Linear

### TECHNICAL INFORMATION

Product	Standard	Flexural Strength	Compressive Strength	De-icing salts freeze-thaw durability	Density	Absorption	Dimension Tolerance*
<b>Grande Wedge Standard Step</b>	ASTM C 1372	N/A	20.7 MPa	N/A	2000 kg/m <sup>2</sup>	10.4%	Length: ±3.2 mm Width: ±3.2 mm Height: ±3.2 mm

**Recommended Capping:** Grande Wedge Capping Unit

**Applications:** Retaining Walls


**Features:** Wedge Units create a 1000 mm (3'3") outside radius without cutting - 4 Wedge units are required for a rounded 90° corner, 16 pcs for a full circle - Two thirds of all Wedge units in a bundle come double rock-faced for inside and outside curves.

Engineering required for walls greater than 1.0 m (3.3 ft)

# Grande Wedge and Grande Wall Capping




## Grande Wedge\* Capping



	DIMENSIONS (MM)	DIMENSIONS (IN)
	100 x 312.5 x 380 - 250	3 15/16 x 12 8/32 x 14 15/16 - 9 27/32
Weight/unit	21.08 kg	46.50 lb
Length/cube	23.94 lin m	78.50 lin. ft
<b>Qty/cube</b>	<b>63 units</b>	<b>63 units</b>
Weight/cube	1328kg	2933 lb

CODE	COLOUR
16200458	Natural
Call for custom colour information	
Sold by layer	
Production location Cambridge	



## Grande Wall 438 Capping



	DIMENSIONS (MM)	DIMENSIONS (IN)
	200 x 438 x 1000	7 7/8 x 17 1/4 x 39 3/8
Weight/unit	173 kg	380 lb
Units/area	1.20 units/m <sup>2</sup>	12.90 lin/ft <sup>2</sup>
<b>Qty/cube</b>	<b>6 units</b>	<b>6 units</b>
Weight/cube	1054 kg	2324 lb

CODES	COLOURS
16200460	Natural
16201338	Desert Grey Blend
16201339	Granite Blend
16201340	Onyx Brown Blend
Sold by layer	
Can be double stacked	
Production location Cambridge	

