


Melville® Plank Paver



Pedestrian - Designed to withstand pedestrian traffic



Vehicular - Designed to withstand car traffic

Techniseal 1 bag of sand covers approx.: Slim - 54 ft² / Large - 79 ft²


Melville® Plank Slim Paver

	DIMENSIONS (MM)	DIMENSIONS (IN)	CODES	COLOURS	TYPICAL ROW																								
A	A	80 x 127 x 300	3 1/8 x 5 x 11 13/16	PRESTIGE COLOURS 10550398 Rockland Black 10550392 Range Scandinia Grey	<table border="1"> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> </table>	B	A	C	B	A	C	B	A	C	B	A	C	B	A	C	B	A	C	B	A	C	B	A	C
	B	A	C																										
	B	A	C																										
B	A	C																											
B	A	C																											
B	A	C																											
B	A	C																											
B	A	C																											
B	A	C																											
B	80 x 127 x 400	3 1/8 x 5 x 15 3/4																											
C	80 x 127 x 500	3 1/8 x 5 x 19 11/16																											
	Weight/unit (avg.)	9 kg	21 lb	STANDARD COLOUR 10550399 Range Newport Grey																									
	Unit/surface (avg.)	19.61 unit/m ²	1.83 unit/ft ²	Sold in full cubes only Production location Montréal																									
	Area/layer	1.07 m ²	11.48 ft ²																										
	Area/cube	8.56 m²	8 Rows	91.84 ft²																									
	Qty/cube	A = 56	B = 56	C = 56																									
	Length/row	8.40 lin. m	27.56 lin. ft																										
	Length/cube	67.20 lin. m	220.48 lin. ft																										
	Weight/cube	1610 kg	3542 lb																										


Melville® Plank Large Paver

	DIMENSIONS (MM)	DIMENSIONS (IN)	CODES	COLOURS	TYPICAL ROW																								
A	A	80 x 190 x 300	3 1/8 x 7 1/2 x 11 13/16	PRESTIGE COLOURS 10550395 Rockland Black 10550397 Range Scandinia Grey	<table border="1"> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> <tr><td>B</td><td>A</td><td>C</td></tr> </table>	B	A	C	B	A	C	B	A	C	B	A	C	B	A	C	B	A	C	B	A	C	B	A	C
	B	A	C																										
	B	A	C																										
B	A	C																											
B	A	C																											
B	A	C																											
B	A	C																											
B	A	C																											
B	A	C																											
B	80 x 190 x 400	3 1/8 x 7 1/2 x 15 3/4																											
C	80 x 190 x 500	3 1/8 x 7 1/2 x 19 11/16																											
	Weight/unit (avg.)	14 kg	31 lb	STANDARD COLOUR 10550394 Range Newport Grey																									
	Unit/surface (avg.)	13.16 unit/m ²	1.22 unit/ft ²	Sold in full cubes only Production location Montréal																									
	Area/layer	0.91 m ²	9.82 ft ²																										
	Area/cube	7.28 m²	8 Rows	78.56 ft²																									
	Qty/cube	A = 32	B = 32	C = 32																									
	Length/row	4.80 lin. m	15.75 lin. ft																										
	Length/cube	34.40 lin. m	126.00 lin. ft																										
	Weight/cube	1399 kg	3078 lb																										


LAYING PATTERNS



Melville Plank Slim Linear



Melville Plank Large Linear



Melville Plank 50% slim and 50% large

TECHNICAL INFORMATION

Product	Standard	Flexural Strength	Compressive Strength	De-icing salts freeze-thaw durability	Density	Absorption	Dimension Tolerance*
Melville Plank Paver	CSA A231.2	N/A	μ 50 MPa ≥ 45 MPa	225 g/m ² after 28 cycles 500 g/m ² after 49 cycles	N/A	N/A	Length: -1.0 to +2.0 mm Width: -1.0 to +2.0 mm Height: ±3.0 mm

Joint sand compaction: Cover vibrating plate with a removable rubber tread (neoprene or polypropylene).

Cover snow removal tools with Teflon or neoprene protectors to minimize the risk of damage from scratches. Laying patterns are for design purposes only. Permacon shall not be responsible for excess or shortage of material.