


Institutional Curbs



High Rised Curb A1 1 2M			
	Dimensions mm	Dimensions in.	Code
	300 x 150 x 1200	12 x 6 x 48	14209025
Weight/unit	101 kg	222 lb	
Length/cube	16.8 lin. m	55.1 lin. ft	
Qty/cube	14 units	2 Rows	14 units
Weight/cube	1450 kg	3197 lb	

Low Rised Curb B1 1 2M			
	Dimensions mm	Dimensions in.	Code
	200 x 150 x 1200	8 x 6 x 48	14209036
Weight/unit	71 kg	156 lb	
Length/cube	25.2 lin. m	82.7 lin. ft	
Qty/cube	21 units	3 Rows	21 units
Weight/cube	1520 kg	3350 lb	

Transition Curb 200 to 300 AB1 (L) - BA1 (R)			
	Dimensions mm	Dimensions in.	Code
	200 to 300 x 150 x 1200	8 to 12 x 6 x 48	14209032 (L) 14209033 (R)
Weight/unit	94 kg	207 lb	
Length/cube	9.6 lin. m	31.5 lin. ft	
Qty/cube	8 units	2 Rows	8 units
Weight/cube	810 kg	1786 lb	

Transition Curb 175 to 300 AB1 (L) - BA1 (R)			
	Dimensions mm	Dimensions in.	Code
	175 to 300 x 150 x 500	7 to 12 x 6 x 20	14209034 (L) 14209035 (R)
Weight/unit	36 kg	79 lb	
Length/cube	8 lin. m	26.3 lin. ft	
Qty/cube	16 units	2 Rows	16 units
Weight/cube	640 kg	1411 lb	

Inside Corner			
	Dimensions mm	Dimensions in.	Code
	300 x 150 x 300	12 x 6 x 12	14209039
Weight/unit	47 kg	104 lb	
Length/cube	7.2 lin. m	23.6 lin. ft	
Qty/cube	24 units	2 Rows	24 units
Weight/cube	1190 kg	2623 lb	

Outside Corner			
	Dimensions mm	Dimensions in.	Code
	300 x 150 x 300	12 x 6 x 12	14209041
Weight/unit	47 kg	104 lb	
Length/cube	7.2 lin. m	23.6 lin. ft	
Qty/cube	24 units	2 Rows	24 units
Weight/cube	1190 kg	2623 lb	

Quantity of curved edges required for rotation angle of standardized curves								
Angle Curve	45°	90°	135°	180°	225°	270°	315°	360°
0.625	-	1	-	2	-	3	-	4
1.25	1	2	3	4	5	6	7	8
2.50	2	4	6	8	10	12	14	16
5.00	4	8	12	16	20	24	28	32
7.5	6	12	18	24	30	36	42	48
10.00	8	16	24	32	40	48	56	64

Outside Curved C1 Exposed			
	Dimensions mm	Dimensions in.	Code
	300 x 150 x 1000	12 x 6 x 40	14209026 0.625 14209027 1.25 14209028 2.50 14209029 5.00 14209030 7.50 14209031 10.00
Weight/unit	100 kg	220 lb	
Length/cube	12 lin. m	39.4 lin. ft	
Qty/cube	12 units	2 Rows	12 units
Weight/cube	1260 kg	2778 lb	

TECHNICAL INFORMATION

Product	Standard	Flexural Strength	Compressive Strength	De-icing salts freeze-thaw durability	Density	Absorption	Dimension Tolerance*
Institutional Curbs High Rised Curb Low Rised Curb Transition Curb Inside Corner Outside Corner Outside Curve	BNQ2624-210	≥ 4.5 MPa	45 MPa	500 g/m ²	2300 kg/m ³	5 %	Length: ±5.0 mm Largeur : ±3.0 mm Height: ±5.0 mm

For additional details see our landscaping installation guide on our website.