

A photograph of a modern outdoor patio. The patio is covered by a pergola with a dark metal frame and light-colored wooden slats. The floor is made of large, light gray rectangular tiles. In the foreground, there is a low, dark gray concrete fire pit with a fire burning inside. To the left, there is a wicker sofa with orange cushions. In the center, there is a wicker ottoman with orange cushions and a patterned throw pillow. To the right, there is a built-in grill with a stainless steel finish and a control panel. The background shows a modern house with large windows and a dark roof. The sky is a soft, warm color, suggesting sunset or sunrise.

PERMACON

Artex[®] Panel System
Idea Book

Table of Contents

- 01 **Bench and Planter**
page 6



- 10 **Counter and Bar**
page 28



- 02 **Corner Bench and Planter**
page 8



- 11 **Large Counter**
page 30



- 03 **Bench and Vertical Planter**
page 10



- 12 **Luxury Counter and Bar**
page 32



- 04 **Small BBQ**
page 12



- 13 **Recessed Wood Fire Pit**
page 36



- 05 **Medium BBQ**
page 14



- 14 **Recessed Gas Fire Pit**
page 38



- 06 **Long BBQ**
page 16



- 15 **Gas Fire Pit**
page 40



- 07 **L-Shape BBQ**
page 18



- 16 **Recessed Rectangular Gas Fire Pit**
page 42



- 08 **Corner BBQ and Pizza Grill**
page 20



- 17 **Rectangular Gas Fire Pit**
page 44



- 09 **BBQ with Luxury Counter and Bar**
page 24



- 18 **Square Planter**
page 46



Table of Contents

- 19 **Rectangular Planter**
page 48



- 28 **L-Shape Bench with Vertical Planter**
page 66



- 20 **Vertical Planter**
page 50



- 29 **BBQ with Bench and Vertical Planter**
page 68



- 21 **Privacy Wall with Bench**
page 52



- 30 **High Top Gas Fire Pit + Propane option**
page 70



- 22 **Privacy Wall with Planter**
page 54



- 31 **Corner Bench and Gas Fire Pit**
page 72



- 23 **Privacy Wall with Vertical Planter**
page 56



- 32 **Vertical Tree Box**
page 76



- 24 **Raised Garden**
page 58



- 33 **Tree Box and Bench**
page 78



- 25 **Corner Multilevel Raised Garden**
page 60



- 34 **Multi-Level Tree Box and Bench**
page 80



- 26 **Multilevel Raised Garden**
page 62



- 35 **Large Planter and Side Benches**
page 82



- 27 **Fireplace with Bench and Wood Pergola**
page 64



- 36 **Large Planter and Bench**
page 84



Table of Contents

37 Large Planter
page 86



38 Small Argentine
Grill Island
page 88



39 Medium Argentine
Grill Island
page 90



40 Grill, Griddle and
Blue Diamond Smoker
Corner Island
page 94




41 Accessible Grill Island
page 98



42 Fire and Water Bowl
Columns
page 102



43 Waterfall
page 104



44 Vertical Planter
and Waterfall
page 106




45 Floating Steps
page 110





01 Bench and Planter




FRONT VIEW


[RETOUR - Table des matières](#)





INTERIOR VIEW





TOP VIEW



REQUIRED PANELS




18 x 36 in.: sold in pairs/layers or in
full pallet only



6 x 36 in.: sold per unit or in layer
or in full pallet

REQUIRED HARDWARE




Sold only per box
(100 units/box)



Can be sold per box or per unit
(40 units/box)



Can be sold per box or per unit
(24 units/box)



Can be sold per box or per unit
(24 units/box)





Can be sold per box or per unit
(10 units/box)

TOTAL WEIGHT: 801 lb

(PANELS AND HARDWARE)

Refer to page 319 of the **Permacon Installation Guide** to about the installation of geotextile in planter box. Contact experts/engineers to validate the base preparation, the drainage, the plants and roots growth/management.

02 Corner Bench and Planter




FRONT VIEW


[RETOUR - Table des matières](#)





INTERIOR VIEW





TOP VIEW



REQUIRED PANELS



18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE




Sold only per box (100 units/box)




Can be sold per box or per unit (40 units/box)



Can be sold per box or per unit (24 units/box)



Can be sold per box or per unit (24 units/box)




Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 2315 lb

(PANELS AND HARDWARE)

Refer to page 319 of the **Permacon Installation Guide** to about the installation of geotextile in planter box. Contact experts/engineers to validate the base preparation, the drainage, the plants and roots growth/management.


03 Bench and Vertical Planter




[RETOUR - Table des matières](#)





INTERIOR VIEW




TOP VIEW



REQUIRED PANELS



18 x 36 in.: sold in pairs/layers or in
full pallet only



6 x 36 in.: sold per unit or in layer
or in full pallet

REQUIRED HARDWARE




Sold only per box
(100 units/box)




Can be sold per box or per unit
(40 units/box)



Can be sold per box or per unit
(24 units/box)



Can be sold per box or per unit
(24 units/box)




Can be sold per box or per unit
(10 units/box)

TOTAL WEIGHT: 2241 lb

(PANELS AND HARDWARE)

Refer to page 319 of the **Permacon Installation Guide** to about the installation of geotextile in planter box. Contact experts/engineers to validate the base preparation, the drainage, the plants and roots growth/management.

04 Small BBQ




FRONT VIEW

[RETOUR - Table des matières](#)




INTERIOR VIEW





* Cut panel(s) according to the BBQ manufacturer's specifications for ventilation.

NOTE: Panels **B** can be replaced with panels **A** to equilibrate the pairs/layers. Panels **A** cannot be replaced by the panels **B**.


TOP VIEW



REQUIRED PANELS



18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE



Sold only per box (100 units/box)




Can be sold per box or per unit (40 units/box)



Can be sold per box or per unit (24 units/box)



Can be sold per box or per unit (24 units/box)




Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 1299 lb

(PANELS AND HARDWARE)

It is recommended to follow the BBQ manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. BBQ, counter top and accessories are not included.

05 Medium BBQ




FRONT VIEW

[RETOUR - Table des matières](#)




INTERIOR VIEW



✪ Cut panel(s) according to the BBQ manufacturer's specifications for ventilation.


NOTE: Panels **B** can be replaced with panels **A** to equilibrate the pairs/layers. Panels **A** cannot be replaced by the panels **B**.

TOP VIEW




REQUIRED PANELS

CLOSED END



6x
18" x 36"




4x
18" x 36"

18 x 36 in.: sold in pairs/layers or in full pallet only

CLOSED END



0x
6" x 36"



0x
6" x 36"

6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE



Anchor slide and nut
36x

Sold only per box (100 units/box)



Joining plate
10x

Can be sold per box or per unit (40 units/box)



Outer corner
8x

Can be sold per box or per unit (24 units/box)



Inner corner
0x

Can be sold per box or per unit (24 units/box)



Stretcher bar
0x


Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 1498 lb

(PANELS AND HARDWARE)

It is recommended to follow the BBQ manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. BBQ, counter top and accessories are not included.

06 Long BBQ




FRONT VIEW

[RETOUR - Table des matières](#)




INTERIOR VIEW



★ Cut panel(s) according to the BBQ manufacturer's specifications for ventilation.


NOTE: Panels **B** can be replaced with panels **A** to equilibrate the pairs/layers. Panels **A** cannot be replaced by the panels **B**.

TOP VIEW




REQUIRED PANELS

CLOSED END



6x
18" x 36"




6x
18" x 36"

18 x 36 in.: sold in pairs/layers or in full pallet only

CLOSED END



0x
6" x 36"



0x
6" x 36"

6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE



Anchor slide and nut
44x

Sold only per box (100 units/box)



Joining plate
14x

Can be sold per box or per unit (40 units/box)



Outer corner
8x

Can be sold per box or per unit (24 units/box)



Inner corner
0x

Can be sold per box or per unit (24 units/box)



Stretcher bar
0x


Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 1801 lb

(PANELS AND HARDWARE)

It is recommended to follow the BBQ manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. BBQ, counter top and accessories are not included.

07 L-Shape BBQ




FRONT VIEW


[RETOUR - Table des matières](#)



INTERIOR VIEW





TOP VIEW




It is recommended to follow the BBQ manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. BBQ, counter top and accessories are not included.

REQUIRED PANELS




18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE




Sold only per box (100 units/box)



Can be sold per box or per unit (40 units/box)



Can be sold per box or per unit (24 units/box)



Can be sold per box or per unit (24 units/box)




Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 2761 lb

(PANELS AND HARDWARE)

08 Corner BBQ and Pizza Grill



FRONT VIEW

[RETOUR - Table des matières](#)

08 Corner BBQ and Pizza Grill




INTERIOR VIEW


✱ Cut panel(s) according to the BBQ manufacturer's specifications for ventilation.

NOTE: Panels **B** can be replaced with panels **A** to equilibrate the pairs/layers. Panels **A** cannot be replaced by the panels **B**.



For more details, see next page




TOP VIEW



REQUIRED PANELS




18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE




Sold only per box (100 units/box)



Can be sold per box or per unit (40 units/box)



Can be sold per box or per unit (24 units/box)



Can be sold per box or per unit (24 units/box)




Can be sold per box or per unit (10 units/box)


TOTAL WEIGHT: 3872 lb

(PANELS AND HARDWARE)

It is recommended to follow the BBQ manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. BBQ, counter top and accessories are not included.



INTERIOR VIEW




[RETOUR - Table des matières](#)



INSIDE VIEW OF THE SHELF

2




Drill concrete panel to install the concrete anchors

NOTE:
Y - Treated concrete anchor (Tapcon®)
1/4 x 1 3/4 in. or 3/16 x 1 3/4 in.

It is recommended to follow the BBQ manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. BBQ, counter top and accessories are not included.

09 BBQ with Luxury Counter and Bar



FRONT VIEW


[RETOUR - Table des matières](#)

09 BBQ with Luxury Counter and Bar




TOP VIEW
18 x 36 in. panels



For more details, see next page




TOP VIEW
6 x 36 in. panels



REQUIRED PANELS




18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE




Sold only per box (100 units/box)



Can be sold per box or per unit (40 units/box)



Can be sold per box or per unit (24 units/box)



Can be sold per box or per unit (24 units/box)



Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 5036 lb
(PANELS AND HARDWARE)


It is recommended to follow the BBQ manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. BBQ, counter top and accessories are not included.

Diagram illustrating the assembly of a 12' x 6' panel using panels C and D. The diagram shows a long, narrow assembly with multiple sections of panels C and D connected by brackets. A large blue arrow points from the diagram to the text "C or D". Callouts indicate "Cut panels C 6" x 9"" and "Cut panel D 6" x 12"". A circled number "1" is also present.







INTERIOR VIEW



It is recommended to follow the BBQ manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. BBQ, counter top and accessories are not included.

10 Counter and Bar




FRONT VIEW


[RETOUR - Table des matières](#)




INTERIOR VIEW





TOP VIEW
18 x 36 in. panels





6 x 36 in. panels



REQUIRED PANELS




18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE




Sold only per box (100 units/box)




Can be sold per box or per unit (40 units/box)



Can be sold per box or per unit (24 units/box)





Can be sold per box or per unit (24 units/box)



Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 1968 lb
(PANELS AND HARDWARE)

11 Large Counter




FRONT VIEW

[RETOUR - Table des matières](#)


11 Large Counter





INTERIOR VIEW




TOP VIEW



REQUIRED PANELS




18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE




Sold only per box
(100 units/box)



Can be sold per box or per unit
(40 units/box)



Can be sold per box or per unit
(24 units/box)



Can be sold per box or per unit
(24 units/box)




Can be sold per box or per unit
(10 units/box)

TOTAL WEIGHT: 1815 lb


(PANELS AND HARDWARE)

12 Luxury Counter and Bar





FRONT VIEW


[RETOUR - Table des matières](#)



REQUIRED PANELS




18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet


REQUIRED HARDWARE



Can be sold per box or per unit
(40 units/box)



Can be sold per box or per unit
(24 units/box)



Can be sold per box or per unit
(24 units/box)




Can be sold per box or per unit
(10 units/box)

TOTAL WEIGHT: 2934 lb
(PANELS AND HARDWARE)




EXPLODED VIEW



[RETOUR - Table des matières](#)




INTERIOR VIEW




Use a JOINING PLATE for the top corners, to join the 4 panels.

Use an OUTER CORNER for the bottom corners.




Drill concrete panel to install the concrete anchors

NOTE:
Y - Treated concrete anchor (Tapcon®) 1/4 x 1 3/4" or 3/16 x 1 3/4"



13 Recessed Wood Fire Pit




FRONT VIEW

[RETOUR - Table des matières](#)


13 Recessed Wood Fire Pit




INTERIOR VIEW



NOTE: 18" x 36" and 6" x 36" panels are glued using CONCRETE ADHESIVE




TOP VIEW




REQUIRED PANELS

CLOSED END



4x
18" x 36"




0x
18" x 36"

18 x 36 in.: sold in pairs/layers or in full pallet only

CLOSED END



4x
6" x 36"



0x
6" x 36"

6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE



Anchor slide and nut
16x

Sold only per box (100 units/box)



Joining plate
0x

Can be sold per box or per unit (40 units/box)



Outer corner
8x

Can be sold per box or per unit (24 units/box)



Inner corner
0x

Can be sold per box or per unit (24 units/box)



Stretcher bar
0x


Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 772 lb

(PANELS AND HARDWARE)

It is recommended to follow the burner manufacturer's specifications for ventilation. Permacon is not responsible for the conformity of connections, clearances and ventilation. Metal liner plate and accessories are not included.

14 Recessed Gas Fire Pit



FRONT VIEW


[RETOUR - Table des matières](#)

14 Recessed Gas Fire Pit



INTERIOR VIEW


The 30" x 30" burner pan sits directly on the ARTEX hardware, on the corner brackets.




✱ Cut panel(s) according to the burner manufacturer's specifications for ventilation.

NOTE: 18" x 36" and 6" x 36" panels are glued using CONCRETE ADHESIVE


TOP VIEW 18 x 36 in. panels





6 x 36 in. panels



REQUIRED PANELS




18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE




Sold only per box (100 units/box)



Can be sold per box or per unit (40 units/box)



Can be sold per box or per unit (24 units/box)



Can be sold per box or per unit (24 units/box)




Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 683 lb
(PANELS AND HARDWARE)

It is recommended to follow the burner manufacturer's specifications for ventilation. Permacon is not responsible for the conformity of connections, clearances and ventilation. Metal liner plate and accessories are not included.

15 Gas Fire Pit




FRONT VIEW

[RETOUR - Table des matières](#)



INTERIOR VIEW


The 30" x 30" burner pan sits directly on the ARTEX hardware, on the corner brackets.




* Add 1/2" thick PLASTIC SHIMS for ventilation

* Cut panel(s) according to the burner manufacturer's specifications for ventilation.


TOP VIEW



REQUIRED PANELS




18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE




Sold only per box (100 units/box)



Can be sold per box or per unit (40 units/box)



Can be sold per box or per unit (24 units/box)



Can be sold per box or per unit (24 units/box)




Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 535 lb

(PANELS AND HARDWARE)

It is recommended to follow the burner manufacturer's specifications for ventilation. Permacon is not responsible for the conformity of connections, clearances and ventilation. Metal liner plate and accessories are not included.



16 Recessed Rectangular Gas Fire Pit





FRONT VIEW

[RETOUR - Table des matières](#)


16 Recessed Rectangular Gas Fire Pit



REQUIRED PANELS



18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE




Sold only per box
(100 units/box)



Can be sold per box or per unit
(40 units/box)



Can be sold per box or per unit
(24 units/box)



Can be sold per box or per unit
(24 units/box)




Can be sold per box or per unit
(10 units/box)

TOTAL WEIGHT: 1130 lb

(PANELS AND HARDWARE)

It is recommended to follow the firekit manufacturer's specifications for ventilation. Permacon is not responsible for the conformity of connections, clearances and ventilation. Burner plate and accessories are not included. **PROPOSED MODEL: Linzel H-STYLE Burner 46" x 15" PLATE KIT**



17 Rectangular Gas Fire Pit





FRONT VIEW

[RETOUR - Table des matières](#)



17 Rectangular Gas Fire Pit



REQUIRED PANELS



18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE




Sold only per box
(100 units/box)



Can be sold per box or per unit
(40 units/box)



Can be sold per box or per unit
(24 units/box)



Can be sold per box or per unit
(24 units/box)




Can be sold per box or per unit
(10 units/box)

TOTAL WEIGHT: 880 lb

(PANELS AND HARDWARE)

It is recommended to follow the firekit manufacturer's specifications for ventilation. Permacon is not responsible for the conformity of connections, clearances and ventilation. Burner plate and accessories are not included. **PROPOSED MODEL: Linzel H-STYLE Burner 46" x 15" PLATE KIT**

18 Square Planter




FRONT VIEW

[RETOUR - Table des matières](#)

18 Square Planter




INTERIOR VIEW




NOTE: Panels **B** can be replaced with panels **A** to equilibrate the pairs/layers. Panels **A** cannot be replaced by the panels **B**.


TOP VIEW



REQUIRED PANELS




0x
18" x 36"




4x
18" x 36"

18 x 36 in.: sold in pairs/layers or in full pallet only



4x
6" x 36"



0x
6" x 36"

6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE



Anchor slide and nut
40x

Sold only per box (100 units/box)



Joining plate
8x

Can be sold per box or per unit (40 units/box)



Outer corner
8x

Can be sold per box or per unit (24 units/box)



Inner corner
0x

Can be sold per box or per unit (24 units/box)



Stretcher bar
0x


Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 804 lb

(PANELS AND HARDWARE)

Refer to page 319 of the **Permacon Installation Guide** for the installation of geotextile in planter box. Contact experts/engineers to validate base preparation, drainage, plants and roots growth/management.

19 Rectangular Planter




FRONT VIEW

[RETOUR - Table des matières](#)

19 Rectangular Planter




INTERIOR VIEW




NOTE: Panels **B** can be replaced with panels **A** to equilibrate the pairs/layers. Panels **A** cannot be replaced by the panels **B**.


TOP VIEW



REQUIRED PANELS




0x
18" x 36"



6x
18" x 36"

18 x 36 in.: sold in pairs/layers or in full pallet only



4x
6" x 36"



2x
6" x 36"

6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE



Anchor slide and nut
56x

Sold only per box (100 units/box)



Joining plate
14x

Can be sold per box or per unit (40 units/box)



Outer corner
8x

Can be sold per box or per unit (24 units/box)



Inner corner
0x

Can be sold per box or per unit (24 units/box)



Stretcher bar
0x


Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 1209 lb

(PANELS AND HARDWARE)

Refer to page 319 of the **Permacon Installation Guide** for the installation of geotextile in planter box. Contact experts/engineers to validate base preparation, drainage, plants and roots growth/management.

20 Vertical Planter





FRONT VIEW


[RETOUR - Table des matières](#)



INTERIOR VIEW



TOP VIEW
18 x 36 in. panels


6 x 36 in. panels




Cut the stretcher bar to the appropriate length refer to page 308 of the Permacon Installation Guide

REQUIRED PANELS




4x
18" x 36"




6x
18" x 36"

18 x 36 in.: sold in pairs/layers or in full pallet only




4x
6" x 36"



2x
6" x 36"

6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE



Anchor slide and nut
62x

Sold only per box (100 units/box)




Joining plate
12x

Can be sold per box or per unit (40 units/box)




Outer corner
18x

Can be sold per box or per unit (24 units/box)



Inner corner
0x

Can be sold per box or per unit (24 units/box)



Stretcher bar
1x


Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 1765 lb

(PANELS AND HARDWARE)

Refer to page 319 of the **Permacon Installation Guide** for the installation of geotextile in planter box. Contact experts/engineers to validate base preparation, drainage, plants and roots growth/management.



21 Privacy Wall with Bench





RETOUR - Table des matières

FRONT VIEW


21 Privacy Wall with Bench



REQUIRED PANELS



18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE




Sold only per box
(100 units/box)



Can be sold per box or per unit
(40 units/box)



Can be sold per box or per unit
(24 units/box)



Can be sold per box or per unit
(24 units/box)





Can be sold per box or per unit
(10 units/box)

TOTAL WEIGHT: 740 lb

(PANELS AND HARDWARE)

Refer to page 319 of the **Permacon Installation Guide** for the installation of geotextile in planter box. Contact experts/engineers to validate base preparation, drainage, plants and roots growth/management.


22 Privacy Wall with Planter




[RETOUR - Table des matières](#)

FRONT VIEW


22 Privacy Wall with Planter



INTERIOR VIEW




Metal frame
refer to page 316 of the
Permacon Installation
Guide




NOTE: Panels **B** can be replaced
with panels **A** to equilibrate the
pairs/layers. Panels **A** cannot be
replaced by the panels **B**.


TOP VIEW
18 x 36 in. panels




6 x 36 in. panels



REQUIRED PANELS




0x
18" x 36"



9x
18" x 36"

18 x 36 in.: sold in pairs/layers or in
full pallet only



4x
6" x 36"



5x
6" x 36"

6 x 36 in.: sold per unit or in layer
or in full pallet

REQUIRED HARDWARE



**Anchor slide
and nut**
84x

Sold only per box
(100 units/box)



Joining plate
26x

Can be sold per box or per unit
(40 units/box)



Outer corner
14x

Can be sold per box or per unit
(24 units/box)



Inner corner
0x

Can be sold per box or per unit
(24 units/box)



Stretcher bar
1x


Can be sold per box or per unit
(10 units/box)

TOTAL WEIGHT: 1500 lb

(PANELS AND HARDWARE)

Refer to page 319 of the **Permacon Installation Guide** for the installation of geotextile in planter box. Contact experts/engineers to validate base preparation, drainage, plants and roots growth/management.

23 Privacy Wall with Vertical Planter



[RETOUR - Table des matières](#)


FRONT VIEW

23 Privacy Wall with Vertical Planter




INTERIOR VIEW

Metal frame refer to page 316 of the Permacon Installation Guide




NOTE: Panels B can be replaced with panels A to equilibrate the pairs/layers. Panels A cannot be replaced by the panels B.


TOP VIEW



REQUIRED PANELS




4x
18" x 36"



8x
18" x 36"

18 x 36 in.: sold in pairs/layers or in full pallet only



0x
6" x 36"



0x
6" x 36"

6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE



Anchor slide and nut
60x

Sold only per box (100 units/box)



Joining plate
20x

Can be sold per box or per unit (40 units/box)



Outer corner
8x

Can be sold per box or per unit (24 units/box)



Inner corner
0x

Can be sold per box or per unit (24 units/box)



Stretcher bar
1x


Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 1823 lb

(PANELS AND HARDWARE)

Refer to page 319 of the **Permacon Installation Guide** for the installation of geotextile in planter box. Contact experts/engineers to validate base preparation, drainage, plants and roots growth/management.

24 Raised Garden




FRONT VIEW

[RETOUR - Table des matières](#)




INTERIOR VIEW




NOTE: Panels B can be replaced with panels A to equilibrate the pairs/layers. Panels A cannot be replaced by the panels B.

TOP VIEW



18" x 36" panels




6" x 36" panels



REQUIRED PANELS




18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE




Sold only per box (100 units/box)




Can be sold per box or per unit (40 units/box)



Can be sold per box or per unit (24 units/box)



Can be sold per box or per unit (24 units/box)




Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 1986 lb

(PANELS AND HARDWARE)

Refer to page 319 of the **Permacon Installation Guide** for the installation of geotextile in planter box. Contact experts/engineers to validate base preparation, drainage, plants and roots growth/management.


25 Corner Multilevel Raised Garden



FRONT VIEW


[RETOUR - Table des matières](#)

NOTE: Panels **B** can be replaced with panels **A** to equilibrate the pairs/layers. Panels **A** cannot be replaced by the panels **B**.




A or B

Cut panel A or B - 6" x 36"




Cut the stretcher bar to the appropriate length refer to page 308 of the Permacon Installation Guide

CLOSED END




15x
18" x 36"




20x
18" x 36"

18 x 36 in.: sold in pairs/layers or in full pallet only



0x
6" x 36"



0x
6" x 36"

6 x 36 in.: sold per unit or in layer
or in full pallet

Anchor slide
and nut
153x

Sold only per box
(100 units/box)



Joining plate
46x

Can be sold per box or per unit
(40 units/box)



Outer corner
20x

Can be sold per box or per unit
(24 units/box)



Inner corner
4x

Can be sold per box or per unit
(24 units/box)



Stretcher bar
7x



Can be sold per box or per unit
(10 units/box)

TOTAL WEIGHT: 4937 lb

(PANELS AND HARDWARE)

Refer to page 319 of the **Permacon Installation Guide** for the installation of geotextile in planter box. Contact experts/engineers to validate base preparation, drainage, plants and roots growth/management.

26 Multilevel Raised Garden




FRONT VIEW


[RETOUR - Table des matières](#)





INTERIOR VIEW





TOP VIEW



REQUIRED PANELS




18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet



REQUIRED HARDWARE



Can be sold per box or per unit (40 units/box)




Can be sold per box or per unit (24 units/box)



TOTAL WEIGHT: 6058 lb
(PANELS AND HARDWARE)

Refer to page 319 of the **Permacon Installation Guide** for the installation of geotextile in planter box. Contact experts/engineers to validate base preparation, drainage, plants and roots growth/management.

27 Fireplace with Bench and Wood Pergola




FRONT VIEW

[RETOUR - Table des matières](#)

27 Fireplace with Bench and Wood Pergola




INTERIOR VIEW




★ **Fire Pit:**
See **Gas Fire Pit** on page 35
for more information

NOTE: Panels **B** can be
replaced with panels **A** to
equilibrate the pairs/layers.
Panels **A** cannot be replaced
by the panels **B**.



Wood frame
refer to page 313
of the Permacon
Installation Guide


TOP VIEW




**Cut the stretcher bar
to the appropriate
length** refer to page
308 of the Permacon
Installation Guide

REQUIRED PANELS

CLOSED END



16x
18" x 36"



34x
18" x 36"

18 x 36 in.: sold in pairs/layers or in
full pallet only

CLOSED END



0x
6" x 36"



0x
6" x 36"

6 x 36 in.: sold per unit or in layer
or in full pallet

REQUIRED HARDWARE



**Anchor slide
and nut**
210x

Sold only per box
(100 units/box)



Joining plate
54x

Can be sold per box or per unit
(40 units/box)



Outer corner
44x

Can be sold per box or per unit
(24 units/box)



Inner corner
4x

Can be sold per box or per unit
(24 units/box)



Stretcher bar
2x


Can be sold per box or per unit
(10 units/box)

TOTAL WEIGHT: 7004 lb

(PANELS AND HARDWARE)

Other types of hardware (not included) may be required to make these assemblies (wood screws, concrete anchors, etc.). PERMACON is not responsible for any issue regarding other materials, accessories, other types of hardware, etc. We recommend consulting an expert/engineer to validate installation of the wood posts of pergola.

28 L-Shape Bench and Vertical Planter



FRONT VIEW

[RETOUR - Table des matières](#)

28 L-Shape Bench and Vertical Planter




INTERIOR VIEW

Wood frame
refer to page 313
of the Permacon
Installation Guide


**Integrating 4" x 4"
wood posts**
refer to page 314
of the Permacon
Installation Guide

4" x 4"
wood post





NOTE: Panels **B** can be replaced with panels **A** to equilibrate the pairs/layers. Panels **A** cannot be replaced by the panels **B**.



TOP VIEW



REQUIRED PANELS




18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE




Sold only per box
(100 units/box)



Can be sold per box or per unit
(40 units/box)



Can be sold per box or per unit
(24 units/box)



Can be sold per box or per unit
(24 units/box)




Can be sold per box or per unit
(10 units/box)

TOTAL WEIGHT: 3615 lb

(PANELS AND HARDWARE)

Refer to page 319 of the **Permacon Installation Guide** for the installation of geotextile in planter box. Contact experts/engineers to validate base preparation, drainage, plants and roots growth/management.

29 BBQ with Bench and Vertical Planter




FRONT VIEW


[RETOUR - Table des matières](#)




INTERIOR VIEW




TOP VIEW



REQUIRED PANELS





REQUIRED HARDWARE



TOTAL WEIGHT: 3847 lb
(PANELS AND HARDWARE)

It is recommended to follow the BBQ manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. BBQ, counter top and accessories are not included. Refer to page 319 of the **Permacon Installation Guide** for the installation of geotextile in planter box. Contact experts/engineers to validate base preparation, drainage, plants and roots growth/management.

30 High Top Gas Fire Pit




[RETOUR - Table des matières](#)

FRONT VIEW




INTERIOR VIEW



* Cut panel(s) according to the burner manufacturer's specifications for ventilation.


NOTE: Panels B can be replaced with panels A to equilibrate the pairs/layers. Panels A cannot be replaced by the panels B.

TOP VIEW
18 x 36 in. panels




Cut panel B
11" x 18"


6 x 36 in. panels



REQUIRED PANELS




4x
18" x 36"



6x
18" x 36"

18 x 36 in.: sold in pairs/layers or in full pallet only



4x
6" x 36"



2x
6" x 36"

6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE



Anchor slide and nut
68x

Sold only per box
(100 units/box)



Joining plate
26x

Can be sold per box or per unit
(40 units/box)



Outer corner
4x

Can be sold per box or per unit
(24 units/box)



Inner corner
0x

Can be sold per box or per unit
(24 units/box)



Stretcher bar
0x


Can be sold per box or per unit
(10 units/box)

TOTAL WEIGHT: 1707 lb


(PANELS AND HARDWARE)

It is recommended to follow the FIREKIT manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. Burner pan, countertop and accessories are not included.

31 Corner Bench and Gas Fire Pit





Wood frame
refer to page 313 of the Permacon
Installation Guide





FRONT VIEW

RETOUR - Table des matières



31 Corner Bench and Gas Fire Pit



REQUIRED PANELS




18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE




Sold only per box
(100 units/box)




Can be sold per box or per unit
(40 units/box)



Can be sold per box or per unit
(24 units/box)




Can be sold per box or per unit
(24 units/box)



Can be sold per box or per unit
(10 units/box)

TOTAL WEIGHT: 9798 lb
(PANELS AND HARDWARE)

It is recommended to follow the FIREKIT manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. Burner pan, countertop and accessories are not included.



TOP VIEW




1

Drill the concrete panel to install the concrete screw anchors (Tapcon®) and drill the wood post to install the stainless steel screw.

NOTE:

X - Stainless steel wood screw flat head #10 x 2 1/2"

Y - Concrete screw anchor (Tapcon®) 1/4 x 1 3/4" or 3/16 x 1 3/4"




RETOUR - Table des matières


31 Corner Bench and Gas Fire Pit



EXPLODED VIEW




Vertical and horizontal planter box



Bar table

32 Vertical Tree Box




FRONT VIEW

[RETOUR - Table des matières](#)




INTERIOR VIEW





NOTE: Panels **B** can be replaced with panels **A** to equilibrate the pairs/layers. Panels **A** cannot be replaced by the panels **B**.

TOP VIEW




Cut the stretcher bars to the appropriate length refer to page 308 of the Permacon Installation Guide

REQUIRED PANELS




18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE




Sold only per box (100 units/box)



Can be sold per box or per unit (40 units/box)



Can be sold per box or per unit (24 units/box)



Can be sold per box or per unit (24 units/box)



Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 1822 lb

(PANELS AND HARDWARE)



Refer to page 319 of the **Permacon Installation Guide** for the installation of geotextile in planter box. Contact experts/engineers to validate base preparation, drainage, plants and roots growth/management.

33 Tree Box and Bench





FRONT VIEW



[RETOUR - Table des matières](#)



REQUIRED PANELS







18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet


REQUIRED HARDWARE



TOTAL WEIGHT: 2677 lb
(PANELS AND HARDWARE)

Refer to page 319 of the **Permacon Installation Guide** for the installation of geotextile in planter box. Contact experts/engineers to validate base preparation, drainage, plants and roots growth/management.

34 Multilevel Tree Box and Bench




FRONT VIEW

[RETOUR - Table des matières](#)



INTERIOR VIEW


Wood frame
refer to page 313 of the
Permacon Installation Guide



NOTE: Panels **A** can be replaced with panels **B** to equilibrate the pairs/layers. Panels **A** cannot be replaced by the panels **B**.


Cut the stretcher bar to the appropriate length refer to page 308 of the Permacon Installation Guide

TOP VIEW




REQUIRED PANELS

CLOSED END



4x
18" x 36"



28x
18" x 36"

18 x 36 in.: sold in pairs/layers or in full pallet only

CLOSED END



0x
6" x 36"



0x
6" x 36"

6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE



Anchor slide
and nut
136x

Sold only per box
(100 units/box)



Joining plate
40x

Can be sold per box or per unit
(40 units/box)



Outer corner
16x

Can be sold per box or per unit
(24 units/box)



Inner corner
8x

Can be sold per box or per unit
(24 units/box)



Stretcher bar
4x


Can be sold per box or per unit
(10 units/box)

TOTAL WEIGHT: 4499 lb

(PANELS AND HARDWARE)



Refer to page 319 of the **Permacon Installation Guide** for the installation of geotextile in planter box. Contact experts/engineers to validate base preparation, drainage, plants and roots growth/management.

35 Large Planter and Side Benches





FRONT VIEW


[RETOUR - Table des matières](#)



REQUIRED PANELS




18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE




Sold only per box
(100 units/box)




Can be sold per box or per unit
(40 units/box)



Can be sold per box or per unit
(24 units/box)



Can be sold per box or per unit
(24 units/box)




Can be sold per box or per unit
(10 units/box)

TOTAL WEIGHT: 3031 lb

(PANELS AND HARDWARE)

Refer to page 319 of the **Permacon Installation Guide** for the installation of geotextile in planter box. Contact experts/engineers to validate base preparation, drainage, plants and roots growth/management.

36 Large Planter and Bench




FRONT VIEW

[RETOUR - Table des matières](#)



INTERIOR VIEW

Wood frame
refer to page 313 of the
Permacon Installation Guide




NOTE:



Y - Treated concrete anchor (Tapcon®)
1/4 x 1 3/4" or 3/16 x 1 3/4"

NOTE: Panels **B** can be replaced
with panels **A** to equilibrate the
pairs/layers. Panels **A** cannot be
replaced by the panels **B**.



TOP VIEW



REQUIRED PANELS




18 x 36 in.: sold in pairs/layers or in
full pallet only



6 x 36 in.: sold per unit or in layer
or in full pallet

REQUIRED HARDWARE




Sold only per box
(100 units/box)



Can be sold per box or per unit
(40 units/box)



Can be sold per box or per unit
(24 units/box)



Can be sold per box or per unit
(24 units/box)




Can be sold per box or per unit
(10 units/box)

TOTAL WEIGHT: 2681 lb

(PANELS AND HARDWARE)

Refer to page 319 of the **Permacon Installation Guide** for the installation of geotextile in planter box. Contact experts/engineers to validate base preparation, drainage, plants and roots growth/management.

37 Large Planter




FRONT VIEW


[RETOUR - Table des matières](#)




INTERIOR VIEW




NOTE: Panels **B** can be replaced with panels **A** to equilibrate the pairs/layers. Panels **A** cannot be replaced by the panels **B**.

TOP VIEW
6 x 36 in. panels



18 x 36 in. panels



REQUIRED PANELS




0x
18" x 36"




14x
18" x 36"

18 x 36 in.: sold in pairs/layers or in full pallet only




4x
6" x 36"



11x
6" x 36"

6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE



Anchor slide and nut
148x

Sold only per box (100 units/box)




Joining plate
60x

Can be sold per box or per unit (40 units/box)




Outer corner
12x

Can be sold per box or per unit (24 units/box)



Inner corner
0x

Can be sold per box or per unit (24 units/box)



Stretcher bar
2x


Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 2866 lb

(PANELS AND HARDWARE)

Refer to page 319 of the **Permacon Installation Guide** for the installation of geotextile in planter box. Contact experts/engineers to validate base preparation, drainage, plants and roots growth/management.

38 Small Argentine Grill Island




FRONT VIEW

[RETOUR - Table des matières](#)


38 Small Argentine Grill Island




INTERIOR VIEW





TOP VIEW
18 x 36 in. panels





6 x 36 in. panels



REQUIRED PANELS







18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet


REQUIRED HARDWARE



TOTAL WEIGHT: 1929 lb
(PANELS AND HARDWARE)



It is recommended to follow the BBQ manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. BBQ, counter top and accessories are not included.

39 Medium Argentine Grill Island




FRONT VIEW


[RETOUR - Table des matières](#)



REQUIRED PANELS




9x
18" x 36"




24x
18" x 36"

18 x 36 in.: sold in pairs/layers or in full pallet only



0x
6" x 36"



7x
6" x 36"

6 x 36 in.: sold per unit or in layer
or in full pallet

REQUIRED HARDWARE



Anchor slide
and nut
140x

Sold only per box
(100 units/box)



Joining plate
34x

Can be sold per box or per unit
(40 units/box)



Outer corner
28x

Can be sold per box or per unit
(24 units/box)



Inner corner
8x

Can be sold per box or per unit
(24 units/box)





Stretcher bar
0x

Can be sold per box or per unit
(10 units/box)


TOTAL WEIGHT: 4407 lb

(PANELS AND HARDWARE)

39 Medium Argentine Grill Island




INSIDE VIEW



[RETOUR - Table des matières](#)




FIRE BRICKS



It is recommended to follow the BBQ manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. BBQ, counter top and accessories are not included.

40 Grill, Griddle and Blue Diamond Smoker Island



RETOUR - Table des matières

FRONT VIEW




INTERIOR VIEW


For more details, see next page

✱ Cut panel(s) according to the Island vent manufacturer's specifications for ventilation.


NOTE: Panels **B** can be replaced with panels **A** to equilibrate the pairs/layers. Panels **A** cannot be replaced by the panels **B**.




TOP VIEW



REQUIRED PANELS




REQUIRED HARDWARE




TOTAL WEIGHT: 3643 lb
(PANELS AND HARDWARE)

It is recommended to follow the BBQ manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. BBQ, counter top and accessories are not included.




INTERIOR VIEW





INTERIOR VIEW


2





Cut the stretcher bar to the appropriate length refer to page 308 of the Permacon Installation Guide

It is recommended to follow the BBQ manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. BBQ, counter top and accessories are not included.

41 Accessible Grill Island





[RETOUR - Table des matières](#)




✱ According to ADA requirements and recommendations, the work surface must be installed at min. 29 inches above the floor/ground. To ensure the recommended height, all the Artex panels must be 28 inches.

It is recommended to follow the BBQ manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. BBQ, counter top and accessories are not included.

REQUIRED PANELS




18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE



Sold only per box (100 units/box)



Can be sold per box or per unit (40 units/box)



Can be sold per box or per unit (24 units/box)




Can be sold per box or per unit (24 units/box)




Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 2579 lb

(PANELS AND HARDWARE)






INTERIOR VIEW



[RETOUR - Table des matières](#)




INTERIOR VIEWS



It is recommended to follow the BBQ manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. BBQ, counter top and accessories are not included.

42 Fire and Water Bowl Columns




[RETOUR - Table des matières](#)


FRONT VIEW





INTERIOR VIEW




TOP VIEW



REQUIRED PANELS




18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE




Sold only per box (100 units/box)




Can be sold per box or per unit (40 units/box)



Can be sold per box or per unit (24 units/box)



Can be sold per box or per unit (24 units/box)




Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 2364 lb

(PANELS AND HARDWARE)


It is recommended to follow the BBQ manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. BBQ, counter top and accessories are not included.

43 Waterfall








INTERIOR VIEW




TOP VIEW



REQUIRED PANELS



18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE




Sold only per box (100 units/box)




Can be sold per box or per unit (40 units/box)



Can be sold per box or per unit (24 units/box)



Can be sold per box or per unit (24 units/box)




Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 438 lb

(PANELS AND HARDWARE)



It is recommended to follow the BBQ manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. BBQ, counter top and accessories are not included.

44 Vertical Planter and Waterfall





FRONT VIEW


[RETOUR - Table des matières](#)



REQUIRED PANELS



18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE




Sold only per box (100 units/box)




Can be sold per box or per unit (40 units/box)



Can be sold per box or per unit (24 units/box)



Can be sold per box or per unit (24 units/box)



Can be sold per box or per unit (10 units/box)

TOTAL WEIGHT: 2089 lb


(PANELS AND HARDWARE)

It is recommended to follow the BBQ manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. BBQ, counter top and accessories are not included.




EXPLODED VIEW - PLANTER BOX

- 1 The wood frame is sitting directly on the ARTEX hardware.




- 2 Fix the panel with opening for drainage on the wood frame



[RETOUR - Table des matières](#)



INTERIOR VIEW



It is recommended to follow the BBQ manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. BBQ, counter top and accessories are not included.


45 Floating Steps



Option 1



Option 2




[RETOUR - Table des matières](#)



FRONT VIEW





INTERIOR VIEW




TOP VIEW



REQUIRED PANELS




18 x 36 in.: sold in pairs/layers or in full pallet only



6 x 36 in.: sold per unit or in layer or in full pallet

REQUIRED HARDWARE




Sold only per box (100 units/box)



Can be sold per box or per unit (40 units/box)



Can be sold per box or per unit (24 units/box)



Can be sold per box or per unit (24 units/box)



Can be sold per box or per unit (10 units/box)


TOTAL WEIGHT: 1516 lb

(PANELS AND HARDWARE)


It is recommended to follow the BBQ manufacturer's specifications for ventilation and clearances. Permacon is not responsible for the conformity of connections, clearances and ventilation. BBQ, counter top and accessories are not included.



Consult our web site
www.permacon.ca



Consult the *Permacon Installation Guide*
 for more installation details



Consult the *Artex Panel System Calculator*

1 888 PERMACON
 PERMACON.CA



PERMACON
 A CRH COMPANY