



# Mondrian Stone



- Allows for a modular or linear installation
- Reduces the number of cuts required and waste due to its modular dimensions
- Matches perfectly with our landscaping products, including Trafalgar pavers, Mondrian Plus pavers and slabs

	<b>MIX</b>
Weight per cube (kg)	1668
Rows per cube	8
Sq.ft. per row	11.24
Sq.ft. per cube	89.89
Corner pieces	100%

<b>Code</b>	<b>Colour</b>
169001675	Blizzard
169001676	Range Amber Beige
169001677	Range Margaux Beige
169001678	Range Newport Grey
169001679	Range Scandina Grey

<b>A</b>	90 mm x 60 mm x var.	3 1/2 in. x 2 3/8 in. x var.
<b>B</b>	90 mm x 102 mm x var.	3 1/2 in. x 4 in. x var.
<b>C</b>	90 mm x 172 mm x var.	3 1/2 in. x 6 3/4 in. x var.

**Formats available in Quebec, Ottawa and Atlantique provinces only**



**A**




**B**




**C**

# Mondrian Stone

## Laying Patterns:




Linear




Modular

## Typical Row:



Mixed 3-height stones: small, medium and large

## Sizes - Stone Cladding:





\* Actual dimensions. Allow a 1/3 in. - 8 mm mortar joint in order to obtain nominal dimensions.



# Mondrian Stone

## Suggested Laying Patterns:

### Random coursed



### Modular



*For information purposes only. The pattern should be adapted to the existing rows on the pallet when installed.*

## Technical information

Product	Standard	Compressive Strength	Density	Absorption	Dimension Tolerance	Fire Resistance (CNB)
<b>Mondrian Stone</b>	CSA A165.1	15 MPa	A : Over 2000 kg/m <sup>3</sup>	A : 175 kg/m <sup>3</sup>	Thickness: ±2.0 mm Height: ±2.0 mm Length: ±3.0 mm	1.39 hours