



# Mondrian Stone



- Allows for a modular or linear installation
- Reduces the number of cuts required and waste due to its modular dimensions
- Matches perfectly with our landscaping products, including Trafalgar pavers, Mondrian Plus pavers and slabs

|                      | MIX   |
|----------------------|-------|
| Weight per cube (kg) | 1668  |
| Rows per cube        | 8     |
| Sq.ft. per row       | 11.24 |
| Sq.ft. per cube      | 89.89 |
| Corner pieces        | 100%  |

|   |                       |                              |
|---|-----------------------|------------------------------|
| A | 90 mm x 60 mm x var.  | 3 1/2 in. x 2 3/8 in. x var. |
| B | 90 mm x 102 mm x var. | 3 1/2 in. x 4 in. x var.     |
| C | 90 mm x 172 mm x var. | 3 1/2 in. x 6 3/4 in. x var. |

| Code      | Colour              |
|-----------|---------------------|
| 169001675 | Blizzard            |
| 169001676 | Range Amber Beige   |
| 169001677 | Range Margaux Beige |
| 169001678 | Range Newport Grey  |
| 169001679 | Range Scandina Grey |

Formats available in Quebec, Ottawa and Atlantique provinces only



A




B




C

# Mondrian Stone

## Laying Patterns:




Linear




Modular

## Typical Row:



Mixed 3-height stones: small, medium and large

## Sizes - Stone Cladding:





\* Actual dimensions. Allow a 1/3 in. - 8 mm mortar joint in order to obtain nominal dimensions.



# Mondrian Stone

## Suggested Laying Patterns:

### Random coursed



### Modular



For information purposes only. The pattern should be adapted to the existing rows on the pallet when installed.

## Technical information

| Product        | Standard   | Compressive Strength | Density                         | Absorption                | Dimension Tolerance                                      | Fire Resistance (CNB) |
|----------------|------------|----------------------|---------------------------------|---------------------------|----------------------------------------------------------|-----------------------|
| Mondrian Stone | CSA A165.1 | 15 MPa               | A : Over 2000 kg/m <sup>3</sup> | A : 175 kg/m <sup>3</sup> | Thickness: ±2.0 mm<br>Height: ±2.0 mm<br>Length: ±3.0 mm | 1.39 hours            |