




Mondrian Stone

- Allows for a modular or linear installation
- Reduces the number of cuts required and waste due to its modular dimensions
- Matches perfectly with our landscaping products, including Trafalgar pavers, Mondrian Plus pavers and slabs




| Colour | Code |
|---------------------|-----------|
| Blizzard | 169001675 |
| Range Amber Beige | 169001676 |
| Range Margaux Beige | 169001677 |
| Range Newport Grey | 169001678 |
| Range Scandina Grey | 169001679 |
| Oasis N | 169003080 |

| Mix | |
|----------------------|-------|
| Weight per cube (kg) | 1668 |
| Rows per cube | 8 |
| Sq.ft. per row | 11.24 |
| Sq.ft. per cube | 89.92 |
| Corner pieces | 100% |


| | | |
|----------|-----------------------|------------------------------|
| A | 90 mm x 60 mm x var. | 3 1/2 in. x 2 3/8 in. x var. |
| B | 90 mm x 102 mm x var. | 3 1/2 in. x 4 in. x var. |
| C | 90 mm x 172 mm x var. | 3 1/2 in. x 6 3/4 in. x var. |

Mondrian Stone

Laying Pattern




Linear




Modular

Typical Row



Mixed 3-height stones: small, medium and large


Size - Stone Cladding





* Actual dimensions. Allow a 1/3 in. - 8 mm mortar joint in order to obtain nominal dimensions.

Mondrian Stone


Suggested Laying Pattern



Random coursed



Modular



For information purposes only. The pattern should be adapted to the existing rows on the pallet when installed.

Technical information

| Product | Standard | Compressive Strength | Density | Absorption | Dimension Tolerance | Fire Resistance (CNB) |
|-----------------------|------------|----------------------|---------------------------------|---------------------------|--|-----------------------|
| Mondrian Stone | CSA A165.1 | 15 MPa | A : Over 2000 kg/m ³ | A : 175 kg/m ³ | Thickness: ±2.0 mm Height: ±2.0 mm Length: ±3.0 mm | 1.39 hours |