

Curbs and Accessories Index

Curbs

Typical Cross-Section	288
Celtik Curb	289

Capping

Pool Capping Cross-Section	290
----------------------------	-----

Steps

Steps Installation - Typical Details	291
Mega Melville Plus and Mega Lafitt Plus Steps	292
Marina 60 Capping (Step option)	293
Celtik 15 inch Modular Step System	294

Mirage Porcelain Tiles

November	295
----------	-----

PACKAGING

For product packaging information, please refer to our Product Data Guide on our website.



English
Quebec





English
Ontario

NOTE: Please note that only curbs and accessories with specific notes are included in the guide. For information on our entire product line, please see our product guide.

Laguna, Leno and Marina Pool Capping

CROSS-SECTION - POOL WITH PAVERS




DETAIL 1

- A** Pool capping and pavers glued with Techniseal concrete adhesive or mortar
- B** Sand
- C** Pool panels
- D** Reinforcement bars
- E** Perforated drain: 100 mm Ø - 4 in.
- F** Concrete footing 200 x 200 mm - 8 x 8 in.
- G** Metal rod 10 mm - 3/8 in.
- H** Concrete deck 1 m - ± 39 in. wide x 100 mm - 4 in. thick
- I** Wire mesh 150 x 150 mm - 6 - 6 in. x 9 ml (G)
- J** Concrete Sonotube 150 mm - 6 in. Ø
- K** Bedding course 25 mm - 1 in.


Marina 60 Capping - Step Option

UNIT



LAYING IDEAS FOR STAIRWAY OPTION


OPTION 1



- A** Marina capping 60 x 300 x 150 mm - 2 3/8 x 11 13/16 x 5 15/16 in.
- B** Celtik 90 wall (4 sizes) of 90 x 225 mm x variable - 3 9/16 x 8 7/8 in. x variable
- C** Paver 60 mm
- D** Compacted granular foundation 0 to 20 mm - 0 to 3/4 in.
- E** Starter unit 90 x 268 x 469 mm - 3 9/16 x 10 1/2 x 18 1/2 in. or Celtik 90 wall unit

NOTE: All elements must be glued together with Techniseal concrete adhesive.

OPTION 2



- A** Marina capping 60 x 300 x 150 mm - 2 3/8 x 11 13/16 x 5 15/16 in.
- B** Celtik 90 wall (4 sizes) of 90 x 225 mm x variable - 3 9/16 x 8 7/8 in. x variable
- C** Paver 60 mm
- D** Compacted granular foundation 0 to 20 mm - 0 to 3/4 in.

NOTE: All elements must be glued together with Techniseal concrete adhesive.